

**AWS D1.6/D1.6M:2017**  
**An American National Standard**



# **Structural Welding Code— Stainless Steel**



**AWS D1.6/D1.6M:2017**  
**An American National Standard**

**Approved by the**  
**American National Standards Institute**  
**January 9, 2017**

# **Structural Welding Code— Stainless Steel**

**3rd Edition**

**Supersedes AWS D1.6/D1.6M:2007**

Prepared by the  
American Welding Society (AWS) D1 Committee on Structural Welding

Under the Direction of the  
AWS Technical Activities Committee

Approved by the  
AWS Board of Directors

## **Abstract**

This code covers the requirements for welding stainless steel structural assemblies.



ISBN: 978-0-87171-906-5  
© 2017 by American Welding Society  
All rights reserved  
Printed in the United States of America

**Photocopy Rights.** No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <[www.copyright.com](http://www.copyright.com)>.

## Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be superseded by new editions. This standard may also be corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page ([www.aws.org](http://www.aws.org)). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex K). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This page is intentionally blank.

# Personnel

## AWS D1 Committee on Structural Welding

A. W. Sindel, Chair	<i>CALTROP Corporation</i>
T. L. Niemann, 1st Vice Chair	<i>Minnesota Department of Transportation</i>
R. D. Medlock, 2nd Vice Chair	<i>High Steel Structures, Incorporated</i>
J. A. Molin, Secretary	<i>American Welding Society</i>
F. G. Armao	<i>The Lincoln Electric Company</i>
U. W. Aschemeier	<i>Subsea Global Solutions</i>
E. L. Bickford	<i>Acute Technological Services</i>
T. W. Burns	<i>Airgas</i>
H. H. Campbell III	<i>Pazuzu Engineering</i>
R. D. Campbell	<i>Bechtel</i>
R. B. Corbit	<i>CB &amp; I</i>
M. A. Grieco	<i>Massachusetts Department of Transportation</i>
J. J. Kenney	<i>Shell International E &amp; P</i>
J. H. Kiefer	<i>Conoco Phillips Company (Retired)</i>
S. W. Kopp	<i>High Steel Structures, Incorporated</i>
V. Kuruvilla	<i>Genesis Quality Systems</i>
J. Lawmon	<i>American Engineering and Manufacturing</i>
N. S. Lindell	<i>Vigor</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
P. W. Marshall	<i>MHP Systems Engineering</i>
M. J. Mayes	<i>Terracon Consultants</i>
D. L. McQuaid	<i>D. L. McQuaid &amp; Associates, Incorporated</i>
J. Merrill	<i>CALTROP Corporation</i>
D. K. Miller	<i>The Lincoln Electric Company</i>
J. B. Pearson Jr.	<i>LTK Engineering Services</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
T. J. Schlafly	<i>American Institute of Steel Construction</i>
R. E. Shaw Jr.	<i>Steel Structures Tech Center, Incorporated</i>
R. W. Stieve	<i>Parsons Corporation</i>
M. M. Tayarani	<i>Pennoni Associates, Incorporated</i>
P. Torchio III	<i>Williams Enterprises of GA, Incorporated</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

## Advisors to the AWS D1 Committee on Structural Welding

W. G. Alexander	<i>WGAPE</i>
N. J. Altebrando	<i>STV, Incorporated</i>
E. M. Beck	<i>AMEC</i>
B. M. Butler	<i>Walt Disney World Company</i>
G. L. Fox	<i>Consultant</i>
H. E. Gilmer	<i>HRV Conformance Verification Associates, Inc.</i>
G. J. Hill	<i>G. J. Hill &amp; Associates</i>
M. L. Hoitmont	<i>Consultant</i>
C. W. Holmes	<i>Modjeski &amp; Masters, Incorporated</i>
G. S. Martin	<i>GE—Power &amp; Water</i>
D. C. Phillips	<i>Hobart Brothers Company (Retired)</i>

J. W. Post	<i>J. W. Post &amp; Associates, Incorporated</i>
K. K. Verma	<i>Consultant</i>
B. D. Wright	<i>Advantage Aviation Technologies</i>

### **AWS D1K Subcommittee on Stainless Steel**

R. D. Campbell, Chair	<i>Bechtel</i>
R. B. Corbit, Vice Chair	<i>CB &amp; I</i>
S. N. Borrero, Secretary	<i>American Welding Society</i>
U. W. Aschemeier	<i>Subsea Global Solutions</i>
D. K. Baird	<i>Brigham Young University—Idaho</i>
W. J. Bell	<i>Atlantic Testing Laboratories</i>
B. M. Connelly	<i>Inspection Specialists, Incorporated</i>
M. Denault	<i>Sandvik Materials Technology</i>
S. J. Findlan	<i>Westinghouse Electric Company</i>
M. J. Harker	<i>Idaho National Laboratory</i>
W. S. Houston	<i>Proweld-Stud Welding Associates</i>
W. Jaxa-Rozen	<i>Bombardier Transportation</i>
J. D. Niemann	<i>Kawasaki Motors Manufacturing Corporation, USA</i>
J. B. Pearson Jr.	<i>LTK Engineering Services</i>
B. E. Riendeau	<i>Airgas an Air Liquide Company</i>
M. Saenz	<i>Bechtel</i>
M. S. Sloan	<i>International Training Institute</i>
P. L. Sturgill	<i>Consultant</i>
B. M. Toth	<i>Westinghouse Electric Company</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

### **Advisors to the AWS D1K Subcommittee on Stainless Steel**

R. E. Avery	<i>Nickel Institute</i>
B. M. Butler	<i>Walt Disney World Company</i>
W. P. Capers	<i>Walt Disney World Company</i>
H. A. Chambers	<i>SNH Market Consultants</i>
D. J. Kotecki	<i>Damian Kotecki Welding Consultants</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
J. Merrill	<i>CALTROP Corporation</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
A. W. Sindel	<i>CALTROP Corporation</i>
O. Zollinger	<i>Cameron International</i>

## Foreword

This foreword is not part of this standard but is included for informational purposes only.

This is the third edition of the AWS D1.6, *Structural Welding Code—Stainless Steel*; the first edition was published in 1999. This code is the product of a pool of experts arriving at a consensus position, in keeping with the American National Standard Institute’s requirements.

This code covers the requirements for welding stainless steel components other than pressure vessels or pressure piping. For many years, fabrications involving structural stainless steel welding used AWS D1.1/D1.1M, *Structural Welding Code—Steel*, to provide the requirements for quality construction. However, as the AWS D1.1 document is written for the carbon and low-alloy steels commonly encountered in structural fabrication, it does not explicitly address the unique requirements of stainless steels. The AWS Structural Welding Committee thus recognized the industry need for an AWS D1.1 analogue designed for the welding of stainless steel wrought and cast shapes and plates.

**Changes in Code Requirements.** Underlined text in the clauses, subclauses, tables, figures, or forms indicates a change from the 2007 edition. A vertical line in the margin of a table or figure also indicates a change from the 2007 edition.

The following is a list of the most significant revisions in the 2017 edition:

<b>Summary of Changes</b>	
Clause/Table/Figure/Annex	Modification
Clause 1	Restructured to identify a summary of the code clauses, new safety and health information, and code limitations.
Clause 2	This is a new clause listing normative references. It replaces subclause 1.9 and Annex G from the previous edition.
Clause 3	This is a new clause that provides terms and definitions specific to this standard. It replaces subclause 1.3 and Annex G from the previous edition.
Clause 4	Clause 4 was presented as Clause 2 in the previous edition. Reorganized and updated to better parallel AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> , where appropriate, and now also references AISC/SCI <i>Design Guide 27: Structural Stainless Steel</i> .
Clauses 5 and 7	Clause 5 was presented as Clause 3 in the previous edition. Clause 7 was presented as Clause 5 in the previous edition. Both clauses had many misplaced subclauses and requirements (some fabrication requirements were in the prequalification clause and vice versa); content has been placed in the appropriate clause. Flare-V and flare-bevel-groove welded prequalified joint details have been included to address a need for these and some interpretations, and to parallel AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> . These clauses are now restructured to follow the standard D1 code format and provide a more logical flow.
Clause 6	Clause 6 was presented as Clause 4 in the previous edition. This clause has been rewritten and now allows qualification directly to AWS B2.1/B2.1M, <i>Specification for Welding Procedure and Performance Qualification</i> , without approval from the Engineer, all while retaining D1.6 code qualification requirements if the Contractor decides to utilize these.
Clause 8	Clause 8 was presented as Clause 6 in the previous edition. Revisions include placing all visual Inspector and NDE personnel qualification requirements together for ease of use. Visual inspection acceptance criteria were removed from the text and placed in a new Table 8.1, similar to AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> . Several errata items were incorporated and new commentary words were inserted that were taken directly from D1.1.

(Continued)



---

### Summary of Changes (Continued)

---

Clause/Table/Figure/Annex	Modification
	Annex E from the previous edition was deleted as most of its content was moved to Clause 8. Some content from Annexes H and O of the previous edition was moved into Clause 8.
Clause 9	Clause 9 was presented as Clause 7 in the previous edition. Revised to identify numerous improvements already addressed by AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> and AASHTO/AWS D1.5M/D1.5, <i>Bridge Welding Code</i> . The manufacturers' stud base qualification testing in Annex D from the previous edition was moved into Clause 9, similar to D1.1.
Annexes A and B	Revised to parallel AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> , and to correct terms of fillet weld size to align with the correct usage in AWS A3.0M/A3.0, <i>Standard Terms and Definitions</i> , and A2.4, <i>Standard Symbols for Welding, Brazing, and Nondestructive Examination</i> .
Annex E	This is a new annex listing informative references.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS D1 Committee on Structural Welding, American Welding Society, 8669 NW 36 St, #130, Doral, FL 33166.

# Table of Contents

	Page No.
<i>Personnel</i> .....	v
<i>Foreword</i> .....	vii
<i>List of Tables</i> .....	xiii
<i>List of Figures</i> .....	xiv
<b>1. General Requirements</b> .....	<b>1</b>
1.1 Scope .....	1
1.2 Units of Measurement .....	1
1.3 Safety .....	2
1.4 Limitations .....	2
1.5 Responsibilities .....	3
1.6 Approval .....	4
1.7 Welding Symbols .....	4
<b>2. Normative References</b> .....	<b>5</b>
<b>3. Terms and Definitions</b> .....	<b>7</b>
<b>4. Design of Welded Connections</b> .....	<b>9</b>
Part A—General Requirements .....	9
<u>4.0</u> General .....	9
<u>4.1</u> Contract Plans and Specifications .....	9
<u>4.2</u> Eccentricity of Connections .....	10
<u>4.3</u> Allowable Stresses .....	11
Part B—Weld Lengths and Areas .....	11
<u>4.4</u> Effective Areas .....	11
<u>4.5</u> Plug and Slot Welds .....	13
Part C—Miscellaneous Structural Details .....	14
<u>4.6</u> General .....	14
<u>4.7</u> Filler Plates .....	14
<u>4.8</u> Lap Joints .....	14
<u>4.9</u> Transitions of Butt Joints in Nontubular Connections .....	14
<u>4.10</u> Transitions in Tubular Connections .....	15
<u>4.11</u> Joint Configurations and Details .....	15
<u>4.12</u> Built-Up Members in Statically Loaded Structures .....	15
<u>4.13</u> Noncontinuous Beams .....	16
<u>4.14</u> Specific Requirements for Cyclically Loaded Structures .....	16
<u>4.15</u> Combinations of Different Types of Welds .....	16
<u>4.16</u> Skewed T-Joints .....	16
<b>5. Prequalification</b> .....	<b>23</b>
<u>5.1</u> Scope .....	23
<u>5.2</u> Welding Processes .....	23
<u>5.3</u> Base Metal/Filler Metal Combinations .....	24
<u>5.4</u> Engineer's Approval for Auxiliary Attachments .....	24

5.5	<u>Preheat and Interpass Temperature Requirements</u> .....	24
5.6	<u>Limitations of Variables for PWPSs</u> .....	24
5.7	<u>General PWPS Requirements</u> .....	25
5.8	<u>Fillet Weld Requirements</u> .....	25
5.9	<u>Plug and Slot Weld Requirements</u> .....	25
5.10	<u>Partial Joint Penetration (PJP) Groove Weld Requirements</u> .....	25
5.11	<u>Complete Joint Penetration (CJP) Groove Weld Requirements</u> .....	26
5.12	<u>Flare-Bevel-and Flare-V-Groove Weld Requirements</u> .....	26
5.13	<u>Tubular Connection Requirements</u> .....	26
<b>6.</b>	<b>Qualification</b> .....	78
6.1	<u>Scope</u> .....	78
	<u>Part A—General Requirements</u> .....	78
6.2	<u>Common Requirements for Procedure and Performance Qualification</u> .....	78
	<u>Part B—Welding Procedure Qualification</u> .....	78
6.3	<u>Welding Procedure Qualification</u> .....	78
6.4	<u>Essential Variables</u> .....	79
6.5	<u>Base Metal Qualification</u> .....	79
6.6	<u>Qualification Thickness Limitations</u> .....	79
6.7	<u>Groove Weld Qualification</u> .....	80
6.8	<u>Fillet Weld Qualification</u> .....	80
6.9	<u>Mechanical Testing and Visual Examination</u> .....	80
6.10	<u>Alternate Fillet Weld WPS Qualification</u> .....	83
6.11	<u>Retests</u> .....	83
6.12	<u>Weld Cladding Requirements</u> .....	83
	<u>Part C—Performance Qualification</u> .....	84
6.13	<u>General</u> .....	84
6.14	<u>Limitation of Variables for Performance Qualifications</u> .....	85
6.15	<u>Types, Purposes, and Acceptance Criteria of Tests and Examinations for Performance Qualification</u> .....	85
6.16	<u>Welder and Welding Operator Cladding Requirements</u> .....	86
<b>7.</b>	<b>Fabrication</b> .....	126
7.1	<u>Scope</u> .....	126
7.2	<u>Base Metals</u> .....	126
7.3	<u>Welding Consumable and Electrode Requirements</u> .....	126
7.4	<u>Preparation of Base Metal (Including Mill-Induced Discontinuities, Cleaning, and Surface Preparation)</u> .....	128
7.5	<u>Base Metal Repairs by Welding</u> .....	129
7.6	<u>Mislocated Holes</u> .....	129
7.7	<u>Assembly</u> .....	129
7.8	<u>Tolerances of Joint Dimensions and Root Passes</u> .....	130
7.9	<u>Weld Backing</u> .....	131
7.10	<u>Preheat and Interpass Temperatures</u> .....	131
7.11	<u>Welding Environment</u> .....	131
7.12	<u>WPSs and Welders</u> .....	131
7.13	<u>Tack Welds and Temporary Welds</u> .....	131
7.14	<u>Distortion of Members</u> .....	132
7.15	<u>Sizes, Lengths, and Locations of Welds</u> .....	132
7.16	<u>Techniques for Plug and Slot Welds</u> .....	132
7.17	<u>Weld Terminations</u> .....	133
7.18	<u>Peening</u> .....	133
7.19	<u>Arc Strikes</u> .....	133
7.20	<u>Weld Cleaning</u> .....	133

7.21	Weld Metal Removal and Repair .....	134
7.22	Postweld Heat Treatment .....	134
<b>8.</b>	<b>Inspection</b> .....	<b>138</b>
8.1	Scope .....	138
	Part A—General Requirements .....	138
8.2	Inspection of Materials .....	139
8.3	Inspection of Welding Procedure Specifications (WPSs) .....	139
8.4	Inspection of Welder and Welding Operator Performance Qualifications .....	139
8.5	Inspection of Work and Records .....	140
	Part B—Contractor’s Responsibilities .....	140
8.6	Obligations of the Contractor .....	140
	Part C—Acceptance Criteria .....	141
8.7	Scope .....	141
8.8	Engineer’s Approval for Alternate Acceptance Criteria .....	141
8.9	Visual Inspection .....	141
8.10	Penetrant Testing (PT) and Magnetic Particle Testing (MT) .....	141
8.11	Nondestructive Testing (NDT) .....	141
8.12	Radiographic Testing (RT) .....	142
8.13	Ultrasonic Testing (UT) .....	143
	Part D—NDT Procedures .....	143
8.14	Procedures .....	143
8.15	Extent of Testing .....	143
	Part E—Radiographic Testing (RT) .....	144
8.16	RT of Welds .....	144
8.17	RT Procedures .....	144
8.18	Supplementary RT Requirements for Tubular Connections .....	146
8.19	Examination, Report, and Disposition of Radiographs .....	147
	Part F—Ultrasonic Testing (UT) of Groove Welds .....	147
8.20	General .....	147
8.21	Qualification Requirements .....	147
8.22	UT Equipment .....	148
8.23	Reference Standards .....	149
8.24	Equipment Qualification .....	149
8.25	Calibration Methods .....	149
8.26	Scanning Patterns and Methods .....	150
8.27	Weld Discontinuity Characterization Methods .....	151
8.28	Weld Discontinuity Sizing and Location Methods .....	151
8.29	Interpretation Problems With Discontinuities .....	152
8.30	Equipment Qualification Procedures .....	153
8.31	Weld Classes and Amplitude Level .....	155
8.32	Acceptance-Rejection Criteria .....	155
8.33	Preparation and Disposition of Reports .....	156
8.34	Testing Procedures .....	156
8.35	Examples of dB Accuracy Certification .....	158
	Part G—Other NDT Methods .....	158
8.36	General Requirements .....	158
8.37	Radiation Imaging Systems Including Real-Time Imaging .....	158
8.38	Advanced Ultrasonic Systems .....	159
8.39	Additional Requirements .....	159
<b>9.</b>	<b>Stud Welding</b> .....	<b>207</b>
9.1	Scope .....	207

9.2	General Requirements	207
9.3	Mechanical Requirements of Studs	208
9.4	Stud Welding Procedure Qualification	208
9.5	Stud Welding Operator Performance Qualification	209
9.6	Production Welding Control	210
9.7	Inspection and Testing	212
9.8	Manufacturers' Stud Base Qualification Requirements	212
Annex A	(Normative)—Effective Throat (S)	221
Annex B	(Normative)—Effective Throats of Fillet Welds in Skewed T-Joints	225
Annex D	(Informative)—Suggested Filler Metals for Various Combinations of Stainless Steels and Other Ferrous Base Metals	229
Annex E	(Informative)—Informative References	261
Annex F	(Informative)—Recommended Inspection Practices	263
Annex G	(Informative)—Nonprequalified Stainless Steels—Guidelines for WPS Qualification and Use	267
Annex H	(Informative)—Sample Welding Forms	273
Annex I	(Informative)—Macroetchants for Austenitic Stainless Steel Welds	279
Annex J	(Informative)—Ultrasonic Unit Certification	281
Annex K	(Informative)—Requesting an Official Interpretation on an AWS Standard	289
Commentary		291
Foreword		293
Index		309
List of AWS Documents on Structural Welding		317

## List of Tables

Table	Page No.
4.1	Allowable Stresses <u>in Welds</u> ..... 17
4.2	Effective Size of Flare-Groove Welds <u>Filled Flush</u> ..... 18
5.1	Variables to be Specified in the <u>PWPS</u> ..... 28
<u>5.2</u>	<u>Approved Base Metals for PWPSs</u> ..... 29
<u>5.3</u>	<u>Filler Metals For Matching Strength to Table 5.2 Base Metals for PWPSs</u> ..... 33
<u>5.4</u>	<u>PWPS Requirements</u> ..... 34
<u>6.1</u>	<u>Essential Variables for Procedure Qualification</u> ..... 87
<u>6.2</u>	<u>Supplementary Essential Variables for CVN Testing</u> ..... 88
<u>6.3</u>	<u>PQR Type, Number of Test Specimens, and Range of Thickness Qualified for Procedure Qualification</u> ..... 89
<u>6.4</u>	<u>Essential Variable Limitations for Cladding Procedure Qualification</u> ..... 90
<u>6.5</u>	<u>F-Numbers—Groupings of Electrodes and Welding Rods for Qualification</u> ..... 91
<u>6.6</u>	<u>A-Numbers—Classifications of Stainless Steel Weld Metal Analysis for WPS Qualification</u> ..... 91
<u>6.7</u>	<u>Thickness Limitations for Cladding WPS and Welding Operator Performance Qualification</u> ..... 91
<u>6.8</u>	<u>Performance Qualification—Thickness Limits and Test Specimens</u> ..... 92
<u>6.9</u>	<u>Performance Qualification—Position and Diameter Limitations</u> ..... 92
<u>6.10</u>	<u>Performance Qualification – Diameter Limitations</u> ..... 93
<u>6.11</u>	<u>Welding Performance Essential Variable Changes Requiring Requalification</u> ..... 93
<u>7.1</u>	<u>Recommended Minimum Backing Thicknesses</u> ..... 135
<u>8.1</u>	<u>Visual Inspection Acceptance Criteria</u> ..... 161
<u>8.2</u>	<u>UT Acceptance-Rejection Criteria</u> ..... 162
<u>8.3</u>	<u>Hole-Type Image Quality Indicator (IQI) Requirements</u> ..... 162
<u>8.4</u>	<u>Wire Image Quality Indicator (IQI) Requirements</u> ..... 163
<u>8.5</u>	<u>IQI Selection and Placement</u> ..... 163
<u>8.6</u>	<u>Testing Angle</u> ..... 164
<u>9.1</u>	<u>Mechanical Property Requirements of Stainless Steel Studs</u> ..... 214
<u>9.2</u>	<u>Stud Torque Values (UNC)</u> ..... 214
<u>9.3</u>	<u>Stud Torque Values (Metric)</u> ..... 214
<u>9.4</u>	<u>Minimum Fillet Weld Sizes for Small Diameter Studs</u> ..... 214
<u>B.1</u>	<u>Equivalent Fillet Weld Size Factors for Skewed T-Joints</u> ..... 226
<u>D.1</u>	<u>Suggested Filler Metals for Various Combinations of Stainless Steels and Other Ferrous Base Metals</u> ..... 232
<u>D.2</u>	<u>Chemical Compositions of Stainless Steels and Other Ferrous Base Metals</u> ..... 254
<u>F.1</u>	<u>Weld Classifications</u> ..... 265
<u>F.2</u>	<u>Nondestructive Testing/Examination Methods</u> ..... 265

# List of Figures

Figure		Page No.
4.1	Maximum Fillet Weld Size Along Edges in Lap Joints .....	19
4.2	Fillet Welds on Opposite Sides of a Common Plane of Contact for Cyclically Loaded Structures .....	19
4.3	Fillet Welded Lap Joint in Tubular Connections .....	20
4.4	Double-Fillet Welded Lap Joint .....	20
4.5	Transition of Butt Joints in Nontubular Connections of Unequal Thickness .....	21
4.6	Transition of Butt Joints in Tubular Connections of Unequal Thickness .....	22
5.1	Weld Metal Delta Ferrite Content .....	35
5.2	Fillet Welded Prequalified Joints .....	36
5.3	Prequalified PJP Groove Welded Joint <u>Details</u> —Nontubular .....	38
5.4	Prequalified CJP Groove Welded Joint <u>Details</u> —Nontubular .....	54
5.5	Prequalified Joint Details for PJP Groove Welds—Tubular .....	76
5.6	Weld Bead Width/Depth Limitations .....	77
6.1	Positions of Groove Welds .....	94
6.2	Positions of Fillet Welds .....	95
6.3	<u>Welding Test Positions</u> .....	96
6.4	Fillet Weld <u>Procedure Qualification Test Coupons</u> .....	100
6.5	Location of Test Specimens for Plate or Pipe Procedure Qualification .....	102
6.6	Transverse Side Bend Specimens—Plate .....	105
6.7	Transverse Face Bend and Root Bend Specimens—Plate .....	106
6.8	Transverse Face Bend and Root Bend Specimens—Pipe .....	107
6.9	Longitudinal Face Bend and Root Bend Specimens—Plate .....	108
6.10	Bottom Ejecting Guided Bend Test Jig .....	109
6.11	Guided Bend Test Jig .....	110
6.12	Alternative Wrap-Around Guided Bend Test Jig .....	111
6.13	Nomogram for Selecting Minimum Bend Radius .....	112
6.14	Transverse Rectangular Tension Test Specimen .....	113
6.15	Tension Specimens (Longitudinal) .....	114
6.16	Tension Specimen for Pipe Size Greater than 2 in [50 mm] Nominal Diameter .....	115
6.17(A)	Tension Specimens—Reduced Section—Turned Specimens .....	116
6.17(B)	Tension Specimens—Full Section—Small Diameter Pipe .....	117
6.18	<u>Cladding WPS and Performance Qualification</u> .....	118
6.19	Chemical Analysis Test .....	119
6.20	6 in [150 mm] or 8 in [200 mm] Pipe Assembly for Performance Qualification—2G and 5G Positions .....	120
6.21	<u>Location of Bend Test Specimens for Performance Qualification – Plate</u> .....	121
6.22	Performance Qualification Specimen Locations .....	122
6.23(A)	Fillet Weld Root-bend Test Specimens .....	123
6.23(B)	<u>Location of Fillet Test Specimens for Performance Qualification – Plate</u> .....	124
6.23(C)	<u>Location of Fillet Test Specimens for Performance Qualification – Pipe</u> .....	124
6.23(D)	<u>Location of Fillet Test Specimens for Performance Qualification – Pipe Alternate Weld</u> .....	125
7.1	Typical Weld Access Hole Geometries .....	136
7.2	Typical Weld Profiles .....	137
8.1	<u>Discontinuity Acceptance Criteria for Statically Loaded Nontubular and Statically or Cyclically Loaded Tubular Connections</u> .....	167
8.2	<u>Discontinuity Acceptance Criteria for Cyclically Loaded Nontubular Connections in Tension (Limitations of Porosity and Fusion Discontinuities)</u> .....	172
8.3	<u>Discontinuity Acceptance Criteria for Cyclically Loaded Nontubular Connections in Compression (Limitations of Porosity or Fusion-Type Discontinuities)</u> .....	177
8.4	Hole-Type Image Quality Indicator (IQI) Design .....	182
8.5	Wire Image Quality Indicator .....	183
8.6	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 10 in [250 mm] and Greater in Length .....	184

8.7	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less Than 10 in [250 mm] in Length .....	184
8.8	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 10 in [250 mm] and Greater in Length .....	185
8.9	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less Than 10 in [250 mm] in Length .....	185
8.10	Radiographic Edge Blocks .....	186
8.11	Single-Wall Exposure—Single-Wall View .....	187
8.12	Double-Wall Exposure—Single-Wall View .....	188
8.13	Double-Wall Exposure—Double-Wall (Elliptical) View, Minimum Two Exposures .....	188
8.14	Double-Wall Exposure—Double-Wall View, Minimum Three Exposures .....	189
8.15	Transducer Crystal .....	189
8.16	Standard Reference Reflector .....	190
8.17	Recommended Calibration Block .....	190
8.18	Typical Alternate Reflectors (Located in Weld Mock-ups and Production Welds) .....	191
8.19	Resolution Blocks .....	192
8.20	Transfer Correction .....	193
8.21	Compression Wave Depth (Horizontal Sweep Calibration) .....	193
8.22	Compression Wave Sensitivity Calibration .....	194
8.23	Shear Wave Distance and Sensitivity Calibration .....	195
8.24	Plan View of UT Scanning Patterns .....	196
8.25	Scanning Methods .....	197
8.26	Spherical Discontinuity Characteristics .....	198
8.27	Cylindrical Discontinuity Characteristics .....	198
8.28	Planar Discontinuity Characteristics .....	199
8.29	Discontinuity Height Dimension .....	200
8.30	Discontinuity Length Dimension .....	201
8.31	Transducer Positions (Typical) .....	202
8.32	Qualification Block .....	202
8.33	Screen Marking .....	203
8.34	Class R Indications .....	203
8.35	Class X Indications .....	205
8.36	Report of Ultrasonic Testing .....	206
9.1	Dimensions and Tolerances of Standard-Type Headed Studs .....	215
9.2	Typical Tensile Test Fixture for Stud Welds .....	216
9.3	Positions of Test Stud Welds .....	217
9.4	Bend Testing Device .....	218
9.5	Torque Testing Arrangement for Stud Welds .....	219
9.6	Stud Weld Bend Fixture .....	219
A.1	Fillet Weld .....	221
A.2	Unreinforced Bevel Groove Weld .....	222
A.3	Bevel Groove Weld with Reinforcing Fillet Weld .....	222
A.4	Bevel Groove Weld with Reinforcing Fillet Weld .....	223
A.5	Unreinforced Flare Bevel Groove Weld .....	223
A.6	Flare Bevel Groove Weld with Reinforcing Fillet Weld .....	224
B.1	Details for Skewed T-Joints .....	226
G.1	WRC-1992 Diagram Showing Root Pass Welding of 304 Stainless to A36 Steel using ER309LSi Filler Metal .....	272
C-8.1	90° T- or Corner Joints with Steel Backing .....	303
C-8.2	Skewed T- or Corner Joints .....	303
C-8.3	Butt Joints with Separation Between Backing and Joint .....	304
C-8.4	Effect of Root Opening on Butt Joints with Steel Backing .....	304
C-8.5	Scanning with Seal-Welded Steel Backing .....	305
C-8.6	Resolutions for Scanning with Seal-Welded Steel Backing .....	306
C-9.1	Allowable Defects in the Heads of Headed Studs .....	308



# List of Forms

<b>Form</b>		<b>Page No.</b>
<u>H-1</u>	<u>Welding Procedure Specification (WPS) or Procedure Qualification Record (PQR)</u> .....	274
<u>H-2</u>	<u>Procedure Qualification Record (PQR) Test Results</u> .....	275
<u>H-3</u>	<u>Welder or Welding Operator Qualification Test Record</u> .....	276
<u>H-4</u>	<u>Stud Welding Procedure Specification (WPS)</u> .....	277
<u>H-4</u>	<u>Stud Welding Procedure Qualification Record (PQR)</u> .....	277
<u>H-4</u>	<u>Stud Welding Operator Performance Qualification Record</u> .....	277
<u>H-4</u>	<u>Preproduction Testing Form</u> .....	277
<u>J-1</u>	<u>Ultrasonic Unit Certification</u> .....	282
<u>J-2</u>	<u>dB Accuracy Evaluation</u> .....	284
<u>J-3</u>	<u>Decibel (Attenuation of Gain) Values Nomograph</u> .....	286

## List of Prequalified Partial Joint Penetration (PJP) Groove Weld Joint Details—Nontubular for Figure 5.3

<u>Joint Detail Designation</u>	<u>Page No.</u> <u>(Dimensions in inches)</u>	<u>Page No.</u> <u>(Dimensions in millimeters)</u>
B-P1a	38	46
B-P1b	38	46
B-P1c	38	46
BC-P2	39	47
BC-P2-GS	39	47
BC-P2-GF	39	47
B-P3	39	47
B-P3-GF	39	47
B-P3-GS	39	47
BTC-P4	40	48
BTC-P4-GF	40	48
TC-P4-GS	40	48
BTC-P5	40	48
BTC-P5-G	40	48
BTC-P5-F	40	48
TC-P5-GS	40	48
BC-P6	41	49
BC-P6-F	41	49
BC-P6-GS	41	49
B-P7	41	49
B-P7-F	41	49
B-P7-GS	41	49
TC-P8	42	50
BC-P8	42	50
TC-P8-F	42	50
BC-P8-F	42	50
TC-P8-GS	42	50
C-P8-GS	42	50
BTC-P9	43	51
BTC-P9-GF	43	51
BTC-P9a-GF	43	51
C-P9-S	43	51
C-P9-GFS	43	51
T-P9-S	43	51
BTC-P10	44	52
BTC-P10-GF	44	52
B-P10-S	44	52
B-P11	45	53
B-P11-GF	45	53
B-P11-S	45	53

## List of Prequalified Complete Joint Penetration (CJP) Groove Weld Joint Details—Nontubular for Figure 5.4

<u>Joint Detail Designation</u>	<u>Page No.</u> <u>(Dimensions in inches)</u>	<u>Page No.</u> <u>(Dimensions in millimeters)</u>
B-L1a	54	65
C-L1a	54	65
B-L1a-F	54	65
B-L1-S	54	65
B-L1b	54	65
B-L1b-F	54	65
B-L1b-G	54	65
B-L1-S	54	65
B-L1a-S	54	65
TC-L1b	55	66
TC-L1-GF	55	66
TC-L1-S	55	66
B-U2	55	66
B-L2	55	66
B-U2-GF	55	66
B-L2c-S	55	66
B-U2a	56	67
B-L2a	56	67
B-U2a-GF	56	67
B-L2a-S	56	67
B-U2-S	56	67
B-L2b	56	67
C-U2a	57	68
C-L2a	57	68
C-U2a-GF	57	68
C-L2a-S	57	68
C-U2-S	57	68
B-U3b	57	68
B-L3b	57	68
B-U3-GF	57	68
B-U3c-S	57	68
B-U4a	58	69
B-L4a	58	69
B-U4a-GF	58	69
B-U4a-S	58	69
TC-U4a	58	69
TC-L4a	58	69
TC-U4a-GF	58	69
TC-U4a-S	58	69
B-U4b	59	70
B-L4b	59	70
B-U4b-GF	59	70
B-U4b-S	59	70
TC-U4b	59	70
TC-L4b	59	70

## List of Prequalified Complete Joint Penetration (CJP) Groove Weld Joint Details—Nontubular for Figure 5.4

<u>Joint Detail Designation</u>	<u>Page No.</u> <u>(Dimensions in inches)</u>	<u>Page No.</u> <u>(Dimensions in millimeters)</u>
TC-U4b-GF	59	70
TC-U4b-S	59	70
B-U5a	60	71
B-L5a	60	71
B-U5-F	60	71
TC-U5b	60	71
TC-L5b	60	71
TC-U5-F	60	71
TC-U5-S	60	71
B-L6	61	72
B-U6	61	72
C-U6	61	72
B-U6-GF	61	72
C-U6-GF	61	72
BC-U6-S	61	72
B-U7	62	73
B-U7-GF	62	73
BC-U7-S	62	73
B-U8	62	73
B-L8	62	73
B-U8-GF	62	73
B-U8-S	62	73
TC-U8a	63	74
TC-L8a	63	74
TC-U8a-GF	63	74
TC-U8a-S	63	74
B-U9	63	74
B-L9	63	74
B-U9-GF	63	74
TC-U9a	64	75
TC-L9a	64	75
TC-U9a-GF	64	75

This page is intentionally blank.

# Structural Welding Code—Stainless Steel

## 1. General Requirements

### 1.1 Scope

This code contains welding requirements for the fabrication, assembly, and erection of welded structures and weldments subject to design stress where at least one of the materials being joined is stainless steel. The code is intended to be used for base metals with a minimum thickness of 1/16 in [1.5 mm] or 16 gage. It shall be used in conjunction with any complementary code or specification for the design or construction of stainless steel structures and weldments. When this code is stipulated in contract documents, conformance with all provisions of the code shall be required, except for those provisions that the Engineer (see 1.5.1) or contract documents specifically modify or exempt.

The following is a summary of the code clauses:

(1) **General Requirements.** This clause contains basic information on the scope and limitations of the code, key definitions, and the major responsibilities of the parties involved with stainless steel fabrication.

(2) **Normative References.** This clause contains a list of reference documents that assist the user in implementation of this code or are required for implementation.

(3) **Terms and Definitions.** This clause contains terms and definitions as they relate to this code.

(4) **Design of Welded Connections.** This clause contains requirements for the design of welded connections.

(5) **Prequalification.** This clause contains the requirements for exempting a Welding Procedure Specification (WPS) from qualification by testing.

(6) **Qualification.** This clause contains the requirements for qualification of WPSs and welding personnel (welders and welding operators) by testing, including the tests required and the ranges qualified.

(7) **Fabrication.** This clause contains welding requirements for fabrication, assembly, and erection of welded stainless steel structures governed by this code, including the requirements for base metals, welding consumables, welding technique, weld details, material preparation and assembly, workmanship, weld repair, and other requirements.

(8) **Inspection.** This clause contains the requirements for the Inspector's qualifications and responsibilities, acceptance criteria for discontinuities, and procedures for nondestructive testing (NDT).

(9) **Stud Welding.** This clause contains the requirements for welding of studs to structures where at least one of the materials being joined is stainless steel.

### 1.2 Units of Measurement

This standard makes use of both U.S. Customary Units and the International System of Units (SI). The latter are shown within brackets ([ ]) or in appropriate columns in tables and figures. The measurements may not be exact equivalents; therefore, each system must be used independently.

**AWS D1.6/D1.6M:2017**  
**An American National Standard**



# **Structural Welding Code— Stainless Steel**



**AWS D1.6/D1.6M:2017**  
**An American National Standard**

**Approved by the**  
**American National Standards Institute**  
**January 9, 2017**

# **Structural Welding Code— Stainless Steel**

**3rd Edition**

**Supersedes AWS D1.6/D1.6M:2007**

Prepared by the  
American Welding Society (AWS) D1 Committee on Structural Welding

Under the Direction of the  
AWS Technical Activities Committee

Approved by the  
AWS Board of Directors

## **Abstract**

This code covers the requirements for welding stainless steel structural assemblies.





ISBN: 978-0-87171-906-5  
© 2017 by American Welding Society  
All rights reserved  
Printed in the United States of America

**Photocopy Rights.** No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <[www.copyright.com](http://www.copyright.com)>.

## Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be superseded by new editions. This standard may also be corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page ([www.aws.org](http://www.aws.org)). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex K). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This page is intentionally blank.

# Personnel

## AWS D1 Committee on Structural Welding

A. W. Sindel, Chair	<i>CALTROP Corporation</i>
T. L. Niemann, 1st Vice Chair	<i>Minnesota Department of Transportation</i>
R. D. Medlock, 2nd Vice Chair	<i>High Steel Structures, Incorporated</i>
J. A. Molin, Secretary	<i>American Welding Society</i>
F. G. Armao	<i>The Lincoln Electric Company</i>
U. W. Aschemeier	<i>Subsea Global Solutions</i>
E. L. Bickford	<i>Acute Technological Services</i>
T. W. Burns	<i>Airgas</i>
H. H. Campbell III	<i>Pazuzu Engineering</i>
R. D. Campbell	<i>Bechtel</i>
R. B. Corbit	<i>CB &amp; I</i>
M. A. Grieco	<i>Massachusetts Department of Transportation</i>
J. J. Kenney	<i>Shell International E &amp; P</i>
J. H. Kiefer	<i>Conoco Phillips Company (Retired)</i>
S. W. Kopp	<i>High Steel Structures, Incorporated</i>
V. Kuruvilla	<i>Genesis Quality Systems</i>
J. Lawmon	<i>American Engineering and Manufacturing</i>
N. S. Lindell	<i>Vigor</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
P. W. Marshall	<i>MHP Systems Engineering</i>
M. J. Mayes	<i>Terracon Consultants</i>
D. L. McQuaid	<i>D. L. McQuaid &amp; Associates, Incorporated</i>
J. Merrill	<i>CALTROP Corporation</i>
D. K. Miller	<i>The Lincoln Electric Company</i>
J. B. Pearson Jr.	<i>LTK Engineering Services</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
T. J. Schlafly	<i>American Institute of Steel Construction</i>
R. E. Shaw Jr.	<i>Steel Structures Tech Center, Incorporated</i>
R. W. Stieve	<i>Parsons Corporation</i>
M. M. Tayarani	<i>Pennoni Associates, Incorporated</i>
P. Torchio III	<i>Williams Enterprises of GA, Incorporated</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

## Advisors to the AWS D1 Committee on Structural Welding

W. G. Alexander	<i>WGAPE</i>
N. J. Altebrando	<i>STV, Incorporated</i>
E. M. Beck	<i>AMEC</i>
B. M. Butler	<i>Walt Disney World Company</i>
G. L. Fox	<i>Consultant</i>
H. E. Gilmer	<i>HRV Conformance Verification Associates, Inc.</i>
G. J. Hill	<i>G. J. Hill &amp; Associates</i>
M. L. Hoitmont	<i>Consultant</i>
C. W. Holmes	<i>Modjeski &amp; Masters, Incorporated</i>
G. S. Martin	<i>GE—Power &amp; Water</i>
D. C. Phillips	<i>Hobart Brothers Company (Retired)</i>

J. W. Post	<i>J. W. Post &amp; Associates, Incorporated</i>
K. K. Verma	<i>Consultant</i>
B. D. Wright	<i>Advantage Aviation Technologies</i>

### **AWS D1K Subcommittee on Stainless Steel**

R. D. Campbell, Chair	<i>Bechtel</i>
R. B. Corbit, Vice Chair	<i>CB &amp; I</i>
S. N. Borrero, Secretary	<i>American Welding Society</i>
U. W. Aschemeier	<i>Subsea Global Solutions</i>
D. K. Baird	<i>Brigham Young University—Idaho</i>
W. J. Bell	<i>Atlantic Testing Laboratories</i>
B. M. Connelly	<i>Inspection Specialists, Incorporated</i>
M. Denault	<i>Sandvik Materials Technology</i>
S. J. Findlan	<i>Westinghouse Electric Company</i>
M. J. Harker	<i>Idaho National Laboratory</i>
W. S. Houston	<i>Proweld-Stud Welding Associates</i>
W. Jaxa-Rozen	<i>Bombardier Transportation</i>
J. D. Niemann	<i>Kawasaki Motors Manufacturing Corporation, USA</i>
J. B. Pearson Jr.	<i>LTK Engineering Services</i>
B. E. Riendeau	<i>Airgas an Air Liquide Company</i>
M. Saenz	<i>Bechtel</i>
M. S. Sloan	<i>International Training Institute</i>
P. L. Sturgill	<i>Consultant</i>
B. M. Toth	<i>Westinghouse Electric Company</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

### **Advisors to the AWS D1K Subcommittee on Stainless Steel**

R. E. Avery	<i>Nickel Institute</i>
B. M. Butler	<i>Walt Disney World Company</i>
W. P. Capers	<i>Walt Disney World Company</i>
H. A. Chambers	<i>SNH Market Consultants</i>
D. J. Kotecki	<i>Damian Kotecki Welding Consultants</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
J. Merrill	<i>CALTROP Corporation</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
A. W. Sindel	<i>CALTROP Corporation</i>
O. Zollinger	<i>Cameron International</i>

## Foreword

This foreword is not part of this standard but is included for informational purposes only.

This is the third edition of the AWS D1.6, *Structural Welding Code—Stainless Steel*; the first edition was published in 1999. This code is the product of a pool of experts arriving at a consensus position, in keeping with the American National Standard Institute's requirements.

This code covers the requirements for welding stainless steel components other than pressure vessels or pressure piping. For many years, fabrications involving structural stainless steel welding used AWS D1.1/D1.1M, *Structural Welding Code—Steel*, to provide the requirements for quality construction. However, as the AWS D1.1 document is written for the carbon and low-alloy steels commonly encountered in structural fabrication, it does not explicitly address the unique requirements of stainless steels. The AWS Structural Welding Committee thus recognized the industry need for an AWS D1.1 analogue designed for the welding of stainless steel wrought and cast shapes and plates.

**Changes in Code Requirements.** Underlined text in the clauses, subclauses, tables, figures, or forms indicates a change from the 2007 edition. A vertical line in the margin of a table or figure also indicates a change from the 2007 edition.

The following is a list of the most significant revisions in the 2017 edition:

<b>Summary of Changes</b>	
Clause/Table/Figure/Annex	Modification
Clause 1	Restructured to identify a summary of the code clauses, new safety and health information, and code limitations.
Clause 2	This is a new clause listing normative references. It replaces subclause 1.9 and Annex G from the previous edition.
Clause 3	This is a new clause that provides terms and definitions specific to this standard. It replaces subclause 1.3 and Annex G from the previous edition.
Clause 4	Clause 4 was presented as Clause 2 in the previous edition. Reorganized and updated to better parallel AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> , where appropriate, and now also references AISC/SCI <i>Design Guide 27: Structural Stainless Steel</i> .
Clauses 5 and 7	Clause 5 was presented as Clause 3 in the previous edition. Clause 7 was presented as Clause 5 in the previous edition. Both clauses had many misplaced subclauses and requirements (some fabrication requirements were in the prequalification clause and vice versa); content has been placed in the appropriate clause. Flare-V and flare-bevel-groove welded prequalified joint details have been included to address a need for these and some interpretations, and to parallel AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> . These clauses are now restructured to follow the standard D1 code format and provide a more logical flow.
Clause 6	Clause 6 was presented as Clause 4 in the previous edition. This clause has been rewritten and now allows qualification directly to AWS B2.1/B2.1M, <i>Specification for Welding Procedure and Performance Qualification</i> , without approval from the Engineer, all while retaining D1.6 code qualification requirements if the Contractor decides to utilize these.
Clause 8	Clause 8 was presented as Clause 6 in the previous edition. Revisions include placing all visual Inspector and NDE personnel qualification requirements together for ease of use. Visual inspection acceptance criteria were removed from the text and placed in a new Table 8.1, similar to AWS D1.1/D1.1M, <i>Structural Welding Code—Steel</i> . Several errata items were incorporated and new commentary words were inserted that were taken directly from D1.1.

(Continued)